



Cordless Backpack Vacuum Cleaner

Cordless Vacuum Cleaner

Makita's Intelligent Robotic Cleaner

8 Cordless Cleaner

10

AC Vacuum Cleaner





Double Insulation



Variable Speed



Electronic 2-Speed



Electronic 3-Speed



Electronic 4-Speed



Constant Speed



Soft Start



Stainless Tank



Revolving Hose



Static Free Hose



Built-in Job Light



Carrying Case





# **Cordless Upright Cleaner** DVC560Z **TOOL ONLY**









Low noise

Max air flow

**Max Sealed Suction** 

1.9 m³/min

12 kPa

Continuous Use (min.) Max Air Flow Max Sealed Suction Dust Pick-Up Rate Cleaning Width Brushroll Rotation Speed Vibration Level Sound Pressure Level Dimensions (L x W x H)

Capacity

w/BL1860B x2 Max / Normal / Low Noise: 30 / 60 / 120

1.9 m<sup>3</sup>/min

12 kPa

Max / Normal / Low Noise: 47 / 44 / 40 318 mm


70 dB(A) or less

Max / Normal / Low Noise: 3,500 / 2,500 / 1,000 RPM 2.5 m/s<sup>2</sup> or less

326 x 318 x 1,146 mm (12-7/8 x 12-1/2 x 45") Net weight 8.3 - 9.0 kg (18.3 - 19.8 lbs.)



# High dust pick-up rate



4 rows of V-shaped bristle increase dust pick-up rate.



Suction power is even across the entire cleaning width due to the suction port located at the



## allows for use in noise-sensitive environments such as office, hospital and more.

Low noise mode

Max mode: 67dB(A) / Normal mode: 64dB(A)

# Two different BL motors

- One for vacuuming dust and the other for rotating brushroll
- Two motors are separately controlled according to the selected suction

#### **Tool-less brushroll** replacement





#### 4-stage brushroll height adjustment


4-stage manually adjustable to carpet pile length











VC003GL Cordless Vacuum Cleaner

### 40Vmax BL Cordless 15L Vacuum Cleaner (Wet & Dry) For Cleaning



Capacity	Dust 15 L Water
	12 L
Max. Air Flow	3.2 m³/min
Max. Sealed Suction	23 kPa
Run Time (min) using BL4050F x2 (in parallel)	Dial 1: 220 Dial 5: 28

Installed Filter Cloth Filter (Wet and Dry) PN: 144625-1

Floor Nozzle, Straight Pipe, Bent Pipe, Hose, Plastic Dust Bag, Plastic Dust Bag x10, Stopper, Telescopic pipe assembly, Long Sash Nozzle, Battery and charger are sold separately



Dust / Water: 15 / 12 L
BL4050F x2: 220
3.2 m³/min
23 kPa
310 W
70 dB(A) or less
366 x 334 x 475 mm
(14-3/8 x 13-1/8 x 18-3/4")
8.3 - 10.2 kg (18.3 - 22.5 lbs.)

exer by XPI



**Optional Filter** Water Filter (Wet Only) PN: 191V67-2



DVC155L	Cordless Vacuum Cleaner	18V x2
18V X2 (36V) LXT BL Cordless 15 L Dust Class L Vacuum Cleaner		



Capacity	Dust / Water: 15 / 12 L	
Continuous Use (min.)	w/ BL1860B: 100	
Max Air Flow	2.1 m³/min	
Max Sealed Suction	11 kPa	
Suction Power	105 W	
Dimensions (L x W x H)	366 x 334 x 421 mm	
	(14-3/8 x 13-1/8 x 16-1/2")	
Net weight	7.2 - 7.9 kg (15.9 - 17.4 lbs.)	
	_	

LXT BL XPT Cloth Filter (Wet and Dry) PN: 140248-3

Max. Air Flow	2.4 m³/min
Max. Sealed Suction	11 kPa
Run Time (min) using BL1860B x2 (in series)	Dial 1: 100 Dial 5: 40

Floor Nozzle, Long Sash Nozzle, Telescopic pipe assembly, Hose, Plastic Dust Bag x10, Filter, Tool Box, Battery and charger are sold separately.

#### DVC860L

Corded and Cordless Vacuum Cleaner 18V x2

## Corded (AC) / 18V X2 (36V) LXT Cordless 8 L Dust Class L Vacuum Cleaner (Wet & Dry) For Cleaning



Capacity	Dust / Water: 8 / 6 L
Continuous Use (min.)	w/ BL1850B x2: 65
Max Air Flow	AC / DC: 3.6 / 2.1 m <sup>3</sup> /min
Max Sealed Suction	AC / DC: 24 / 9 kPa
Suction Power	AC / DC: 320 / 25 - 70 W
Dimensions (L x W x H)	366 x 334 x 368 mm
	(14-3/8 x 13-1/8 x 14-1/2")
Net weight	8.6 - 9.2 kg (19 - 20.3 lbs.)

LXT XPT Cloth Filter (Wet and Dry) PN: 140248-3

Max. Air Fow (m³/min)	AC: <b>3.6</b> DC: <b>2.1</b>
Max. Sealed Suction	AC: <b>24 kPa</b> DC: <b>9 kPa</b>
Run Time (min) using BL1860B x2 (in series)	Dial 1: 65 Dial 5: 30

 $Floor \, Nozzle, Corner \, Nozzle, Straight \, Pipe, \, Bent \, Pipe, \, Hose \, (38mm-2.5m), \, Plastic \, Dust \, Bag, \, Cloth \, Filter, \, Corner \, Nozzle, \, Corner \, Nozz$ Powder Filter(DVC861L), Connection cord, Battery and charger are sold separately

#### DVC157L

Cordless Vacuum Cleaner

18V x2

#### 18V X2 (36V) LXT BL AWS Cordless 15 L Dust Class L HEPA Vacuum Cleaner (Dry only) For Dust Collection





Powder Filter H (Dry Only)

PN: 197166-6

Damper set

PN: 195552-5

Capacity	Dust: 15 L
Continuous Use (min.)	w/ BL1860B: 100
Max Air Flow	2.4 m³/min
Max Sealed Suction	11 kPa
Suction Power	110 W
Sound Pressure Level	70 dB(A) or less
Dimensions (L x W x H)	366 x 334 x 421 mm
	(14-3/8 x 13-1/8 x 16-1/2")
Net weight	8.0 - 8.6 kg (17.6 - 19.0 lbs.)

#### LXT BL AWS XPT



Max. Air Flow	2.4 m³/min
Max. Sealed Suction	11 kPa
Run Time (min) using BL1860B x2 (in series)	Dial 1: 100 Dial 5: 40

Pre-filter set PN: 195553-3 Floor Nozzle, Long Sash Nozzle, Telescopic pipe assembly, Hose, Wireless Unit, Plastic Dust Bag x10, Filter, Tool Box. Battery and charger are sold separately.

#### DVC864L

Cordless Vacuum Cleaner

18V x2

#### 18V X2 (36V) LXT BL Cordless 8 L Dust Class L Vacuum Cleaner (Dry only) For Dust Collection

DVC864LZ



Capacity	Dust: 8 L
Continuous Use (min.)	with BL1850B x2: 40
Max Air Flow	2.1 m³/min
Max Sealed Suction	9.8 kPa
Suction Power	90 W
Sound Pressure Level	70 dB(A) or less
Dimensions (L x W x H)	366x334x368 mm
	(14-3/8"x13-1/8"x14-1/2")
Net weight*	7.7 - 8.4 kg (17.1-18.4 lbs.)

#### Installed Filter: Powder Filter H (Dry Only)

PN: 197166-6 Damper set PN: 195552-5 Pre-filter set

7.7 - 6.4 kg (17.1-16.4 lbs.)			
LXT BL AWS XPT			
MOTOR	Max. Air Flow	2.1 m³/min	
	Max. Sealed Suction	9.8 kPa	
Built-in Wireless Unit	Run Time (min) using BL1860B x2	48	

(in series)

PN: 195553-3 Plastic Dust Bag x10, Tool Box, Wireless Unit.

#### Filter for DVC155L, DVC157L, DVC860L, DVC864L





PN: 195552-5

To use powder filter, remove the float cage and float by





Pre-filter set PN: 195553-3

PN: 195555-9 To use water filter, make sure the float cage and float are

Water filter

DVC155L, DVC860L only

#### Hose 32 - 1.7 with Front Sleeve











#### Bending pipe assembly without Pipe Lock, with Sleeve PN: 126756-8

Optional Attachments for DVC155L, DVC157L, DVC860L, DVC864L







#### Plastic Telescopic pipe 28 without Pipe Lock (L=500-850mm) PN: 198559-0



# PN: 123486-2



# 40V<sub>max</sub> XGT

# 18V x2 <u>LXT</u>

#### VC008GZ

(For Cleaning) **DVC660Z** 

**40Vmax XGT BL Brushless Cordless HEPA Backpack Vacuum Cleaner** 



#### XIII BL



Capacity	Cloth Dust Bag 1.5 L
	Paper Dust Bag 2.0 L
Max. Air Flow	<b>2.4</b> m³/min
Max. Sealed Suction	<b>18</b> kPa
Suction Power	180 W
Sound Pressure Level	72 dB (A)
	1: <b>110</b> min
Run Time	2: <b>55</b> min
using BL4050F	3: <b>30</b> min
	4: <b>14</b> min
Net Weight	4.3 - 4.7 kg

#### Standard Equipment:

Floor Nozzle, Hose, Hose Band, Nozzle, Telescopic pipe assembly, Bent Pipe, Switching nozzle, Free Nozzle, Dust Bag, Battery and Charger are Sold Separately.

(For Cleaning)

18V X2 (36V) LXT BL Brushless Cordless **HEPA Backpack Vacuum Cleaner** 



LXT BL



Capacity  Capaci		
Max. Sealed Suction 11 kPa Suction Power 95 W 70 dβ(Λ) or less Run Time using BL1860B x2 12: 75 min 3: 40 min	Capacity	5.5 L Paper Dust Bag
Suction Power 95 W Sound Pressure Level 70 dB(A) or less Run Time using BL1860B x2 2: 75 min 3: 40 min	Max. Air Flow	<b>2.0</b> m <sup>3</sup> /min
Sound Pressure Level   70 dB(A) or less	Max. Sealed Suction	<b>11</b> kPa
Run Time using BL1860B x2 2: <b>75</b> min 3: <b>40</b> min	Suction Power	<b>95</b> W
Run Time using BL1860B x2 2: <b>75</b> min 3: <b>40</b> min	Sound Pressure Level	70 dB(A) or less
using BL1860B x2 2: <b>75</b> min 3: <b>40</b> min	Dun Timo	1: <b>140</b> min
3: <b>40</b> min	man mine	2: <b>75</b> min
Net Weight 6.1 - 6.7 kg		3: <b>40</b> min
	Net Weight	6.1 - 6.7 kg

#### Standard Equipment:

Floor Nozzle, Hose, Hose Band, Nozzle, Telescopic pipe assembly, Bent Pipe, Switching nozzle, Free Nozzle, Dust Bag, Battery and Charger are Sold Separately.

#### **DVC261Z**

18V X2 (36V) LXT BL Brushless Cordless **HEPA Backpack Vacuum Cleaner** 

(For Cleaning)



#### LXT BL



Capacity	1.5 L Paper Dust Bag 2.0 L	
Max. Air Flow	<b>2.0</b> m <sup>3</sup> /min	
Max. Sealed Suction	<b>11</b> kPa	
Suction Power	90 W	
Sound Pressure Level	70 dB(A) or less	
Run Time	1: <b>140</b> min	
using BL1860B x2	2: <b>75</b> min	
	3: <b>40</b> min	
Net Weight	3.8 - 4.5 kg	

#### Standard Equipment:

Hose, Hose Band, Bending pipe assembly (without sleeve), Filter Bag. Battery and Charger are Sold Separately.

#### **DVC260Z**

(For Cleaning)

18V X2 (36V) LXT BL Brushless Cordless **HEPA Backpack Vacuum Cleaner** 



#### LXT BL



Capacity	Filter Bag 2.0 L Paper Dust Bag 2.0 I
Max. Air Flow	1.5 m³/min
Max. Sealed Suction	<b>7.1</b> kPa
Suction Power	<b>45</b> W
Sound Pressure Level	70 dB(A) or less
Run Time	Lo: 108 min
using BL1860B x2	Hi: <b>72</b> min
Net Weight	3.8 - 4.3 kg

#### Standard Equipment:

Floor t-nozzle 28, Plastic Telescopic pipe 28, Flexible rubber nozzle 28, Floor t-nozzle 28, Plastic Telescopic pipe 28, Flexible rubber nozzle 28, Hose, Hose Band, Bending pipe assembly (without sleeve), Filter Bag. Battery and Charger are Sold Separately.

18V x2

#### DVC265

Cordless Backpack Vacuum Cleaner

18V X2 (36V) LXT BL AWS Cordless HEPA Backpack Vacuum Cleaner (For Dust Collection) DVC265ZX



Capacity	Cloth Dust Bag 1.5 L Paper Dust Bag 2.0 L
Max. Air Flow	<b>2.0</b> m <sup>3</sup> /min
Max. Sealed Suction	<b>11</b> kPa
Suction Power	<b>90</b> W
Sound Pressure Level	70 dB(A) or less
Run Time	Lo: <b>75</b> min
using BL1860B x2	Hi: <b>40</b> min
Net Weight	3.9 - 4.5 kg

LXT BL AWS



Flexible rubber nozzle 28, Hose, Hose Band, Filter Bag Font cuffs (22,24). Battery and charger are sold separately

#### Wireless Unit Set PN: 199393-1 (Sold separately)





Auto-start Wireless System

The wireless activation function enables clean and comfortable operation. By connecting a supported tool to the cleaner, you can run the cleaner automatically along with the switch operation of the tool.





Bluetooth°

AWS connects to power tool with Bluetooth

The Bluetooth\* word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Makita is under license. Other trademarks and trade names are those of their respective owners.

#### Filter for VC008G, DVC660, DVC261, DVC265, DVC260



#### VC008G, DVC660 only

**Dust Bag Assy' (Washable)** PN: 191C30-1 (per pc.)



Filter Bag (Disposable) PN: 191C26-2 (per pc.)



Filter set assembly (HEPA filter) PN: 191D12-9 (per\_pc.)



## VC008G, DVC660 only

Hose complete 32 - 1.0 with front sleeve (front cuffs 32A)



# Aluminum Telescopic pipe 28L

with Pipe Lock

### Optional Attachments for VC008G, DVC660, DVC261, DVC265, DVC260 DVC260, DVC261 only

Hose 28mm without Front Sleeve



Bending pipe assembly without Pipe Lock PN: 126756-8



Plastic Telescopic pipe 28 without Pipe Lock (L=500-850mm)

PN: 198559-0

#### VC008G, DVC660, DVC261, DVC260 only



(For rug and carpet) PN: 198525-7

Nozzle assembly Floor t-nozzle 28 PN: 123486-2

PN: 198918-8 Seat nozzle 28 PN: 199037-3

18V



w/ BL1860B x2: 240 Continuous Use (min.) Max cleaning area Max running speed w/ BL1860B x2: 600 m 0.3 m/sec **Dust Box Capacity** 

Dimensions (L x W x H)
Net weight 500 x 500 x 204 mm (19-3/4 x 19-3/4 x 8") 9.6 - 10.6 kg (21.2 - 23.4 lbs.)

Spare Accessories

Magnetic tape set PN: 191P18-9

Main brush complete set PN: 191P22-8









Wireless remote controller (including two AAA alkaline batteries), Side Brush



Continuous Use (min.) w/ BL1850B x2: 200 w/ BL1830B x2: 120 Max cleaning area w/ BL1850B x2: 500 m<sup>2</sup> w/ BL1830B x2: 300 m Max running speed 0.3 m/sec Dust Box Capacity
Dimensions (L x W x H) 2.5 L 460 x 460 x 180 mm (18-1/8 x 18-1/8 x 7-1/8" Net weight 7.8 kg (16.1 lbs.)

lxt sl

**DRC200** 

Wireless remote controller (including two AAA alkaline batteries), Side Brush, Boundary Tape

#### DVC750L 18V LXT BL Brushless Cordless 7.5 L Dust Class L HEPA Portable 2-Speed Vacuum Cleaner (Wet & Dry) Capacity Dust / Water: 7.5 / 4.5 L w/ BL1850B (High): 30

**DVC750LZ** 

Ontional Accessor

Shoulder Belt Set

PN: 199486-4

Wet filter set

PN: 191M39-3

Joint 22 - 38

PN: 195548-6

**DCL184** 



Damper

Pre filter

PN: 422449-8

PN: 162635-6

Continuous Use (min.) w/ BL1850B (Normal): 60 Max Air Flow High / Normal: 1.6 / 1.3 m<sup>3</sup>/min Max Sealed Suction High / Normal: 6.7 / 4.2 kPa Suction Powe High / Normal: 50 / 25 W Dimensions (L x W x H) 418 x 251 x 278 mm (16-1/2 x 9-7/8 x 11") 4.3 - 4.6 kg (9.4 - 10.1 lbs.) Net weight

Cordless Portable Vacuum Cleaner

LXT BL XPT

~2 % € 🔀 Standard Accessories Filter complete

(HEPA Iter) PN: 162518-0

Cordless Cleaner

Max. Air Flow 1.6 m<sup>3</sup>/min Max. Sealed Suction 6.7kPa Run Time (min) Hi: 36 using BL1860B Normal: 72

Hose, Floor Nozzle, Sash Nozzle, Shoulder Belt, Round Brush, Shelf Brush, Joint, Battery and charger are sold separately



### **CL121D** 12Vmax CXT Li-Ion Cordless 3-Speed Cleaner



Cloth Dust Bag / Paper Dust Bag: 500 / 330 mL Max / High / Normal: 27 / 32 / 67 Capacity Continuous Use (w/ BL1041B) (min.) Max Air Flow 1.3 m³/min Max Sealed Suction (water column) 4.6 kPa (470 mmHO) Max / High / Normal: 28 / 19 / 5 W Blowing: 0.3 m³/min Blowing: 76 m/s w/ BL1016/BL1021B Suction Power
Max Air Flow
Max Air Velocity
Dimensions (L x W x H) : 345 x 138 x 202 mm (13-5/8 x 5-7/16 x 8") 1.7 - 1.8 kg (3.7 - 4.0 lbs.) Net weight

12V max

CXT 3



Cordless Cleaner

Capacity

18V LXT Li-Ion Cordless 3-Speed Cleaner



DCL184, CL114FD, CL121D,

CL114FD, CL121D

Cloth Dust Bag / Paper Dust Bag: 500 / 330 mL Continuous Use (w/ BL1830B) (min.) Max / High / Normal: 20 / 30 / 80 Cleaning: 1.4 m³/min Max Air Flow Max Sealed Suction 5.4 kPa (550 mmHO) (water column) Suction Power Max / High / Normal: 38 / 23 / 5 W Blowing: 0.4 m³/min Blowing: 100 m/s w/BL1830B / BL1840B / BL1850B / BL1860B Max Air Flow Max Air Velocity
Dimensions (L x W x H) : 365 x 138 x 202 mm (14-3/8 x 5-7/16 x 8") Net weight 1.8 - 2.2 kg (4.0 - 4.9 lbs.)

LXT 3



Paper filter Anti-bacterial type

(High performance filter) 194565-3

18V

Valve stay complete (Dust stopper) 143677-9



Seat Nozzle, Mat Nozzle, Rubber Nozzle, Soft Brush, Blower Attachment, Dust Bag, Paper Dust Bag, Shoulder Belt, Battery and Charger are Sold Separately.





# 40Vmax **XGT**

# 18V **LXT**



		7	
Capacity	730 <sub>ml</sub>		
Max Sealed Suction	2	21 <sub>kPa</sub>	
Max. Air Flow	1.:	2m³/min	
Run Time	1	128	
(min.)	2	64	
using BL4040 (4.0Ah) battery	3	40	
	4	25	
	1	<b>20</b> w	
Suction Power	2	<b>45</b> w	
ouction i ower	3	<b>70</b> w	
	4	<b>125</b> w	
<b>Dimension</b> w/ Pipe & Nozzle, w/o Battery		113 x 152 mm 2 x 4-7/16 x 6")	
Net weight		7 - 2.3 kg - 5.1 lbs.)	

#### Standard accessories: Floor Nozzle, Sash Nozzle, Sash Nozzle Holder, Pipe, Filter H, Easy Shake Off Filter.

Battery and Charger not included



Capacity	37		3 -7
Max. Air Flow   1.2m²/min   Run Time (min.)   2 64   3 40   4 25   1 20w   2 45w   3 70w   4 125w   2 45w   3 70w   4 125w   2 45w   3 70w   4 125w   3 70w   4 125w   3 70w   4 125w   1.8-3.0 kg	Capacity		,
Run Time (min.)   2 64   3 40   4 25   1 20w   2 45w   3 70w   4 125w   5 word on wind pipe & Nozzle, wio Battery   1.8 - 3.0 kg   1.8 - 3.0 kg   1 28   1	Max Sealed Suction	2	1 <sub>kPa</sub>
Run Time (mi.)   2 64   3 40   4 25   4 25   1 20W   2 45W   3 70W   4 125W   1 25W   2 45W   3 70W   4 125W   1 25W   2 45W   3 70W   4 125W   1 25W   1 25	Max. Air Flow	1.2	m³/min
Min.   2   64   3   40   4   25   4   25   4   4   25   4   4   25   4   25   4   25   4   25   4   25   4   25   4   25   4   25   2   45   2   45   2   45   2   45   2   2   45   2   2   45   2   2   4   2   2   4   2   2   4   2   2	Pun Timo	1	128
Suction Power   3   40	(min.)	2	64
1 20W   2 45W   3 70W   4 125W   1.81 × 152 mm   1,081 × 113 × 1		3	40
Suction Power   2 45W   3 70W   4 125W		4	25
3 70W   4 125W		1	<b>20</b> w
3 70W   4 125W   1,081 x 113 x 152 mm   w/ Pipe & Nozzle, w/o Battery   (42-1/2 x 4-7/16 x 6")   1.8 - 3.0 kg	Suction Power	2	<b>45</b> w
Dimension   1,081 x 113 x 152 mm   w/ Pipe & Nozzle, w/o Battery   (42-1/2 x 4-7/16 x 6")     1.8 - 3.0 kg	Suction Fower	3	<b>70</b> w
w/ Pipe & Nozzle, w/o Battery (42-1/2 x 4-7/16 x 6")  Not weight 1.8 - 3.0 kg		4	<b>125</b> w
Net weight 1.8 - 3.0 kg			
	w/ ripe & NOZZIE, W/O Battery	(42-1/2)	(4-// IO X 0")
	Net weight		

#### Standard accessories:

Floor Nozzle, Sash Nozzle, Sash Nozzle Holder, Pipe, Paper Dust Bag, Hand Strap. Battery and Charger not included



Cyclone unit			
Capacity	250 <sub>ml</sub>		
Max Sealed Suction	2	20 <sub>kPa</sub>	
Max. Air Flow	1.	0m³/min	
Run Time	1	128	
(min.)	2	64	
using BL4040 (4.0Ah) battery	3	40	
	4	25	
	1	15w	
Suction Power	2	<b>35</b> w	
outlien i onei	3	<b>60</b> w	
	4	<b>100</b> w	
Dimension w/ Pipe & Nozzle, w/o Battery		113 x 177 mm x 4-7/16 x 7")	
Net weight		- 2.5 kg - 5.5 lbs.)	

#### Standard accessories:

Floor Nozzle, Sash Nozzle, Sash Nozzle Holder, High performance filter.

Battery and Charger not included



Max Sealed Suction	8.2 <sub>kPa</sub>	
Max. Air Flow	1.5m³/min	
Run Time	1	100
(min.) using BL1860B (6.0Ah)	2	40
battery	3	30
	1	<b>15</b> w
Suction Power	2	<b>45</b> w
	3	<b>60</b> w
Dimension w/ Pipe & Nozzle, w/o Battery	,	113x154 mm 7/16"x6-1/6")
Net weight	1.2 - 1.6 kg (2.7 - 3.5 lbs.)	

#### Standard accessories: Floor-T Nozzle 28, Sash Nozzle,

Sash Nozzle Holder. Easy Shake Off Filter B. Battery and Charger not included



C	apsule type
Capacity	650ml
Max Sealed Suction	4.2 <sub>kPa</sub>
Max. Air Flow	1.4m³/min
Run Time (min.) using BL1860B (6.0Ah) battery	40
Suction Power	<b>30</b> w
Dimension w/ Pipe & Nozzle, w/o Battery	999x114x152 mm (39-1/4"x4-1/2"x6")
Net weight	1.2 kg (2.7 lbs.)

#### Standard accessories:

Floor-T Nozzle 28, Sash Nozzle, Sash Nozzle holder, Pre Filter, Filter. Battery and Charger not included

# 12Vmax

# 12Vmax Built-in Battery



600ml
3.1 <sub>kPa</sub>
1.3m³/min
16
<b>19</b> w
958 x 100 x 150 mm (37-3/4"x3-15/16"x5-7/8
1.0 - 1.1 kg (2.1 - 2.5 lbs.)

#### Standard accessories: CL106FDWYW

Floor-T Nozzle, Sash Nozzle Holder, Pre Fillter, Filter, 1 pc. Bl1016 (1.5Ah) Battery, 1 unit DC10WD (Standard Charger). CL106FDZ:

Battery & Charger not included



Capsule type		
Capacity	650 <sub>ml</sub>	
Max Sealed Suction	5	. <b>0</b> kPa
Max. Air Flow	1.0	)m³/min
	1	55
Run Time (min.)	2	18
	3	10
	1	3w
Suction Power	2	<b>15</b> w
	3	<b>25</b> w
Dimension w/ Pipe & Nozzle, w/o Battery		110 x 136 mm -5/16 x 5-3/8")
Net weight	1.0 kg	g (2.2 lbs.)

#### Standard accessories:

Floor/Carpet T-nozzle, Sash nozzle, Sash nozzle holder, Straight pipe, Charger, Easy Shake Off Filter



Pap	er b	ag type
Capacity	;	500 <sub>ml</sub>
Max Sealed Suction		5.0 <sub>kPa</sub>
Max. Air Flow	1.	0m³/min
	1	55
Run Time (min.)	2	18
	3	10
	1	5w
Suction Power	2	<b>20</b> w
	3	35w
Dimension w/ Pipe & Nozzle, w/o Battery	000,	( 113 x 136 mm x 4-7/16" x 5-3/8")
Net weight	1.1	kg (2.4 lbs)

#### Standard accessories:

Floor-T Nozzle, Sash Nozzle, Sash Nozzle Holder, Pre Fillter, Filter, DC1001 Battery Charger Set.



	Capsule type
Capacity	560ml
Max Sealed Sucti	on <b>3.4</b> kPa
Max. Air Flow	1.4m³/min
Run Time (min.)	12
Suction Power	<b>19</b> w
Dimension w/ Pipe & Nozzle, w/o Ba	906x102x109 mm (35-3/4"x4"x4-1/4")
Net weight	0.94 kg (2.1 lbs.)

### Standard accessories:


Floor-T Nozzle 28, Sash Nozzle, Sash Nozzle Holder, Pre Filter, Filter.



# Cordless Cleaner filted Balt Cparcyci Madousum Cleaner for selectable filters & Carrying bag



# Paper bag type cleaner Model: CL002G, DCL282F, DCL182, DCL182F, CL114FD, CL121D, CL107FD, CL072D, DCL184, CL121D





Cleaner body, battery, charger and accessories can be stored together.





Except Model: DCL184, CL121D (LxWxH: 600x210x190mm) Part No. 199901-8

#### **Cyclone attachment**



Cyclone attachment







**Seat Nozzle 28** PN: 199037-3 (White)







Flexible Hose PN: 198541-9 (Blue)







Plastic Straight Pipe 28 (320mm) for Cyclone attachment (without Lock) PN: 191D79-7



#### VC3210LX1

Vacuum Cleaner

#### 32 L Dust Class L GYUPPA Vacuum Cleaner (Wet & Dry)




Continuous rating inpu	ut 1,050W
Max peak air flow	2.0 m <sup>3</sup> / min
Max Sealed Suction	22.0 kPa
(water column)	(2,240 mmHO)
Tank capacity	Dust: 32 L
	Water: 27 L
Dimensions (L x W x H)	) 552x398x685 mm
	(21-3/4"x15-5/8"x27")
Net weight	14.5 kg (32 lbs.)
Power supply cord	5.0 m (16.4 ft)
Max. Air Flow	2.0 m <sup>3</sup> /min
Max. Sealed Suction	22.0 kPa



Hose Complete 28-3.5 & 38-2.5. Front cuffs 38, 24 & 22. Holder 10-33. Nozzle Complete, Corner Nozzle, Straight & Bending pipe, Poly bag set (10 pcs.)

#### Filter & Dust bag for VC3210L



Wet Filter set for wet only PN: 195611-5



For WET use, remove Pre-filter, Damper, HEPA / Powder filter and replace them with WET Filter Install the float cage and float.

#### VC1310LX1

Vacuum Cleaner

### 32 L Dust Class L GYUPPA Vacuum Cleaner (Wet & Dry)



Continuous rating inp	ut 1,050W		
Max peak air flow	2.0 m <sup>3</sup> / m	in	
Max Sealed Suction	22.0 kPa	22.0 kPa	
(water column)	(2,240 mn	(2,240 mmHO)	
Tank capacity	Dust : 32 l	Dust: 32 L	
	Water: 27	L	
Dimensions (L x W x H	552x398x	685 mm	
	(21-3/4"x1	5-5/8"x27")	
Net weight 14.5 kg (3		2 lbs.)	
Power supply cord	5.0 m (16.	4 ft)	
Max. Air Flow	2.0 m <sup>3</sup> /min		
Max. Sealed Suction	22.0 kPa		



Hose Complete 28-3.5 & 38-2.5. Front cuffs 38, 24 & 22, Holder 10-33. Nozzle Complete, Corner Nozzle, Straight & Bending pipe, Poly bag set (10 pcs.)



Wet Filter set for wet only PN: 195555-9



For WET use, remove Pre-filter, Damper, HEPA / Powder filter and replace them with WET Filter. Install the float cage and float.

# **Makita - A Global Brand**

Makita have established directly operated business bases in about 50 countries around the world, and have upgraded our sales network in over 170 countries and after-sales service capabilities to become one of the leading companies in our industry. In addition, Makita is producing power tools and OPE in China, Romania, Thailand, U.K., Brazil, U.S. and Germany. Currently, about 90% of our group's manufacturing work in terms of production volume is carried out overseas.

Makita's worldwide sales and service network, as well as the stable, high production quality ensured at its plants worldwide, are the embodiment of the Makita brand.



**JAPAN** Makita Corporation Headquarters



**JAPAN** 

**BRAZIL** 



U.S. Plant

U.S.A.





**THAILAND** 









Thailand Plant



